## TOWN OF SOUTH WINDSOR PLANNING & ZONING COMMISSION APPLICATION FORM RECEIVED

Application Number: 20-196 Official Receipt Date: 3/24/20

Munis Application #: 202060513

MAK 2 4 2020

SOUTH WINDSOR PLANNING DEPT.



APPLICANT: Town of South Windsor	CID: 718612
PROJECT NAME: Pleasant Valley Elementary School Mode	
COMPLETE LOCATION OF PROPERTY: 591 Ellington	Road
OWNER OF RECORD ON LAND RECORDS: Town	f South Windsor
OWNER ADDRESS: 1540 Sullivan Ave, South Windsor, C	· ·
GIS PIN # _30300591 ZONE	RR
NAME, ADDRESS, TELEPHONE & EMAIL ADDRE	SS OF PERSON TO WHOM INQUIRIES SHOULD BE DIRECTED:
Benjamin Wheeler, Design Professionals, Inc., 21 Jeffrey Drive,	South Windsor, CT
06074, 860-291-8755, bwheeler@dpinc.co	Estimated presentation time: 10
THIS APPLICATION IS FOR: (Check all that apply)	
Zone Change to(Public	
Open Space Subdivision/Resubdivision (Publi	
	<u> </u>
<u> </u>	
Resubdivision (Public Hearing Required) M	nor 📙 Major
Conditional Subdivision	77 1 10 10 10 10 10 10 10 10 10 10 10 10 1
Special Exception to Table (Public	/
	odification Building(s) Sq Ft
General Plan of Development	,
	Sec. 7.16) (Public Hearing and Certificate of Mailing Required)
Regulation Amendment Zoning Subdiv	sion - Attach proposed amendment (Public Hearing Required)
Temporary and Conditional Permit (Public Hear	ing Required) fornew modular classrooms
☐ Temporary and Conditional Permit Renewal for	
☐ Detached In Law Apartment or ☐ Accessory Ap	artment (Public Hearing and Certificate of Mailing Required)
$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	Required) for
Other (explain in detail)	·
PLEASE NOTE: An Application Pending Sign is ten (10) days prior to being heard by the Comm	required to be posted on the property for <u>all</u> applications ssion.
	$\underline{\hspace{0.1cm}}$
Signature of Applicant	Signature of Property Owner
Print Name of Applicant	Print Name of Property Owner Revised 1/9/2017

	•	

## TOWN OF SOUTH WINDSOR CHECKLIST REQUIRED INFORMATION SITE PLANS

APPLICAN <sup>-</sup>	T	f South Windsor
PROJECT N	NAME_	easant Valley Elementary School Modular Classrooms
		t be signed by plan preparer (P.E./L.S.) declaring that all required informatics 1-7 are required for <u>all</u> applications; items 8-11 required where appropriate
Check mar	k for e	ch item supplied.
_X	1.	On each sheet for plans or maps, title block with the following information:
_X		a. Name, address and telephone of applicant.
X		b. Name, address and telephone number of Land Surveyor or Professional Engineer.
<u> </u>		c. Name of Development.
X		d. Date when drawings were made.
_X	2.	Key Map: An overall map drawn to a scale of 1 inch equals either 100 feet of 200 feet. This map will show the overall design of the Development and surrounding property within 500 feet.
X		<ul> <li>Data block which gives needed zoning information such as percentage of lot coverage, acreage of tract, number of apartment units, parking requirements, etc.</li> </ul>
X		b. Outline of buildings.
X		c. Layout of streets.
X		d. Surrounding property boundaries-within 500 feet.
<u>x</u>		e. Names of abutting property owners.
N/A		f. Proposed open spaces and recreation areas.
<u>X</u>		<ul> <li>Driveway cuts on abutting properties and any properties across from proposed site.</li> </ul>
X	•	h. Distance to and name of nearest intersection street.
.x	3.	Architectural Elevations: See attached checklist for Architecture and Design Review.

	X	4.	Plot Plan: A layout map of the proposed site drawn to a scale of 1 inch equals 40 feet on either of the following size sheets: (1) $24" \times 36"$ with a $3/4"$ ruled margin; (2) $18" \times 24"$ with a $1/2"$ ruled margin, containing the following data:					
	<b>X</b> .		a.		bearings of all be property angle			site. Iron pins
	b. Proposed streets and street lines with center line station, curve data, a parking spaces.  X c. Building lines in accordance with zoning regulations.					rve data, and		
	. X	<ul> <li>d. Proposed buildings and other structures, including signs, outside ligand dumpsters (on concrete pad and screened).</li> </ul>					tside lighting,	
	N/A -		e <b>.</b>	Easements, noting grantors, grantees, and purpose must be shown in table format, e.g. below				
				Grantor	Grantee	Type of Easement	Date Filed	Vol/Pg
	·							
	X		f.	Names of abut	tting property ov	vners.		
	X		g.	Monuments will be indicated at corners and angles of all streets and at all points of curvature and tangency. The monumented points within proposed site shall be coordinated. These coordinates shall appear in tabular form on the plot plan. The accessibility of these CGS points shall be determined by the Town Engineer.				within appear in
	N/A		h.	All open space	or other comm	on or public land	d uses shall be	indicated.
	<u>x</u>		i.	A-2 certification	on; P.E./L.S. Sea	al.		
	X	5.	Topographic Map: A map drawn to a scale of 1 inch to 40 feet on sheets not exceeding 24 inches by 36 inches, including ruled margins shall in addition to the requirements of the plot plans show the following:					
	<u>x</u>		a.	<ul><li>a. All existing and proposed buildings.</li><li>b. Curb Lines and pavement width, sidewalks.</li></ul>				
	X		b.					
	<ul> <li>x</li> <li>x</li> <li>d. Existing and proposed water and-all existing utilities.</li> </ul>							

X		e. Present wooded area indicated by foliage lines. Any trees to be saved should be shown.
. <b>X</b>		f. Existing and proposed contours shall be shown in not less than two-foot intervals, but in cases of relatively level land, the contours shall be one- foot intervals and spot elevations.
<u> </u>		$\ensuremath{\mathtt{g}}$ . Regulated wetlands and 100-year floodplain or note that none are present.
N/A		h. Proposed storm drainage system, showing all catch basins, endwalls, manholes, lengths and sizes of pipes and elevations of structures. (Maximum distance between catch basins shall be 300 feet and minimum size of storm drain lines shall be 15 inches, within Town ROW.) If plan/profile sheet is provided all of this does not need to be shown. Only top of frame elevations and inverts of open discharge pipe shall be shown on this plan.
N/A		<ol> <li>Connections of all springs into proposed storm drainage system as needed.</li> </ol>
N/A		<ul> <li>j. Location and indications of existing brook channels, and 100-year flood limits.</li> </ul>
<u>x</u>		k. A-2 & T-2 Certification; P.E & L.S. Seals.
N/A	6.	Landscaping plan
N/A	7.	Drainage calculations: - Zero Runoff Increase per attached guidelines.
N/A -	8.	Traffic Report
N/A	9.	Site Lighting Plan
N/A	10.	Plans and Profiles: A plan and profile of the proposed streets drawn on plan/profile paper of scales 1 inch to 40 feet horizontally, and 1 inch to 4 feet vertically on sheets not exceeding 24 inches by 36 inches, including ruled margins and containing the following:
N/A		a. Layout of streets in sections coordinated by stations with the profile.
N/A		b. Street plan showing roadways, drainage, sanitary sewer (including house sewer), foundation drains, lot lines, buildings including all utilities with elevations (top frame and inverts), size, type, length, slopes of pipes.
N/A		c. Sight line at driveway & street intersections.

PLAN PREPARER (P.E./L.S.)			./L.S.)	DATE		
Benjamin P. Wheeler, P.L.A.			A	3/23/2020		
		proposed, the final plans shall include a Sanitary Report certified by a Professional Engineer. The report shall demonstrate the feasibility of proposed individual systems.				
N/A	12.		nitary Report: Where individual sanitary sewage disposal systems are			
	11.	Open Space Site Improvement Plans: For sites which require or include a provision for open spaces, a plan which contains data for site improvemen may be required. This map shall be drawn to a scale of 1 inch equals 40 feet.				
N/A	11	05				
N/A		h.	Profiles shall show all sanitary sewer elevations, (inverts, top of frame) s Top of foundation elevations for buil	izes, lengths, and slo	pes of pipes.	
N/A		g.	CGS datum shall be used on all sites Town Engineer shall, based on stand the accessibility of these controls.			
N/A		f.	Where any storm drainage line disch profile of this brook will be shown to			
N/A		e.	Profile will show all catch basins and basins with all invert and top of fram slopes of pipes.			
N/A		d.	Profile of roadway showing existing will show all tangent grade and all versions.	_		
NI/A						