

**TOWN OF SOUTH WINDSOR
PLANNING & ZONING COMMISSION
APPLICATION FORM**

Application Number: _____

Official Receipt Date: _____

VPC Application #: _____

APPLICANT: PDS ENGINEERING & CONSTRUCTION

PROJECT NAME: GDS ESTIMATING PROPOSED ADDITIONS

COMPLETE LOCATION OF PROPERTY: 470 GOVERNORS HIGHWAY

OWNER OF RECORD ON LAND RECORDS: RYLONN PROPERTIES

OWNER ADDRESS: 7 Fox Hill Road, South Windsor, CT 06074

GIS PIN # 36900470 ZONE I

NAME, ADDRESS, TELEPHONE & EMAIL ADDRESS OF PERSON TO WHOM INQUIRIES SHOULD BE DIRECTED:

FRANK BOROWSKI, 860-242-8586

FRANKB.C@SFC.COM

Estimated presentation time: 15 min.

THIS APPLICATION IS FOR: (Check all that apply):

- ☐ Zone Change to _____ (Public Hearing and Certificate of Mailing Required)
- ☐ Open Space Subdivision/Resubdivision (Public Hearing and Certificate of Mailing Required)
- ☐ Subdivision ☐ Minor ☐ Major
- ☒ Resubdivision (Public Hearing Required) ☒ Minor ☐ Major
- ☐ Conditional Subdivision
- ☐ Special Exception to Table _____ (Public Hearing and Certificate of Mailing Required)
- ☒ Site Plan of Development ☐ New ☒ Modification Building(s) Sq Ft 9022
- ☐ General Plan of Development
- ☐ Earth Filling (Sec. 7.6) and/or Earth Removal (Sec. 7.16) (Public Hearing and Certificate of Mailing Required)
- ☐ Regulation Amendment ☐ Zoning ☐ Subdivision - Attach proposed amendment (Public Hearing Required)
- ☐ Temporary and Conditional Permit (Public Hearing Required) for _____
- ☐ Temporary and Conditional Permit Renewal for _____
- ☐ Detached In Law Apartment or ☐ Accessory Apartment (Public Hearing and Certificate of Mailing Required)
- ☐ Major Home Occupation (Certificate of Mailing Required) for _____
- ☐ Other (explain in detail) _____

PLEASE NOTE: An Application Pending Sign is required to be posted on the property for all applications ten (10) days prior to being heard by the Commission.

AM
Signature of Applicant

FRANK BOROWSKI, BE.
Print Name of Applicant

[Signature]
Signature of Property Owner

Ken Jurski
Print Name of Property Owner

Revised 2/26/2021

TOWN OF SOUTH WINDSOR CHECKLIST
REQUIRED INFORMATION SITE PLANS

APPLICANT PDS ENGINEERING & CONSTRUCTION

PROJECT NAME GDS ESTIMATING - PROPOSED ADDITIONS

This checklist must be signed by plan preparer (P.E./L.S.) declaring that all required information is provided. Items 1-7 are required for all applications; items 8-11 required where appropriate.

Check mark for each item supplied.

- | | |
|-------------------------------------|--|
| ☒ | 1. On each sheet for plans or maps, title block with the following information: |
| ☒ | a. Name, address and telephone of applicant. |
| ☒ | b. Name, address and telephone number of Land Surveyor or Professional Engineer. |
| ☒ | c. Name of Development. |
| ☒ | d. Date when drawings were made. |
| ☒ | 2. Key Map: An overall map drawn to a scale of 1 inch equals either 100 feet or 200 feet. This map will show the overall design of the Development and surrounding property within 500 feet. |
| ☒ | a. Data block which gives needed zoning information such as percentage of lot coverage, acreage of tract, number of apartment units, parking requirements, etc. |
| ☒ | b. Outline of buildings. |
| ☒ | c. Layout of streets. |
| ☒ | d. Surrounding property boundaries-within 500 feet. |
| ☒ | e. Names of abutting property owners. |
| ☒ | f. Proposed open spaces and recreation areas. |
| ☒ | g. Driveway cuts on abutting properties and any properties across from proposed site. |
| ☒ | h. Distance to and name of nearest intersection street. |
| ☒ | 3. Architectural Elevations: See attached checklist for Architecture and Design Review. |

- 

✓

- 

✓

- NA

☒

- ✓

-

✓

- e. Present wooded area indicated by foliage lines. Any trees to be saved should be shown.

✓

- f. Existing and proposed contours shall be shown in not less than two-foot intervals, but in cases of relatively level land, the contours shall be one-foot intervals and spot elevations.

✓

- g. Regulated wetlands and 100-year floodplain or note that none are present.

✓

- h. Proposed storm drainage system, showing all catch basins, endwalls, manholes, lengths and sizes of pipes and elevations of structures. (Maximum distance between catch basins shall be 300 feet and minimum size of storm drain lines shall be 15 inches, within Town ROW.) If plan/profile sheet is provided all of this does not need to be shown. Only top of frame elevations and inverts of open discharge pipe shall be shown on this plan.

N/A

- i. Connections of all springs into proposed storm drainage system as needed.

N/A

- j. Location and indications of existing brook channels, and 100-year flood limits.

✓

- k. A-2 & T-2 Certification; P.E & L.S. Seals.

✓

6. Landscaping plan

7. Drainage calculations: - Zero Runoff Increase per attached guidelines.

N/A

8. Traffic Report

9. Site Lighting Plan

N/A

10. Plans and Profiles: A plan and profile of the proposed streets drawn on plan/profile paper of scales 1 inch to 40 feet horizontally, and 1 inch to 4 feet vertically on sheets not exceeding 24 inches by 36 inches, including ruled margins and containing the following:

X

- a. Layout of streets in sections coordinated by stations with the profile.

X

- b. Street plan showing roadways, drainage, sanitary sewer (including house sewer), foundation drains, lot lines, buildings including all utilities with elevations (top frame and inverts), size, type, length, slopes of pipes.

X

- c. Sight line at driveway & street intersections.

X

d. Profile of roadway showing existing and finished grades. Roadway profile will show all tangent grade and all vertical curve information.

X

e. Profile will show all catch basins and all drainage lines between catch basins with all invert and top of frame elevations, sizes, lengths and slopes of pipes.

X

f. Where any storm drainage line discharges into an existing brook sufficient profile of this brook will be shown to determine conditions.

X

g. CGS datum shall be used on all sites accessible to these controls. The Town Engineer shall, based on standard engineering practices, determine the accessibility of these controls.

X

h. Profiles shall show all sanitary sewer lines and manholes, including elevations, (inverts, top of frame) sizes, lengths, and slopes of pipes. Top of foundation elevations for building shall be shown.

N/A

11. Open Space Site Improvement Plans: For sites which require or include a provision for open spaces, a plan which contains data for site improvement may be required. This map shall be drawn to a scale of 1 inch equals 40 feet.

N/A

12. Sanitary Report: Where individual sanitary sewage disposal systems are proposed, the final plans shall include a Sanitary Report certified by a Professional Engineer. The report shall demonstrate the feasibility of the proposed individual systems.

FRANK BOROWSKI P.E.
PLAN PREPARER (P.E./L.S.)

3-6-2023
DATE